SIEMENS

Product data sheet

8WD4420-5AB





SIGNALLING COLUMN STEADY LIGHT LED RED, 24V AC/DC

ureduct brend nome				
product brand name		SIRIUS		
product designation		signaling columns element, optical		
Product component / fluorescent materials		Yes		
Design of the optical signal		continous light		
Type of voltage				
 of the operating voltage 		AC/DC		
of the supply voltage				
of the fluorescent material		AC/DC		
Operating frequency				
• 1 / rated value	Hz	50		
• 2 / rated value	Hz	60		
Operating voltage				
• 1 / for DC / rated value	V	24		
• 1 / at 50 Hz / for AC / rated value	V	24		
• 1 / at 60 Hz / for AC / rated value	V	24		
Consumed current / for rated value of supply voltage	mA	45		
Supply voltage				
• 1 / of the fluorescent material / at 50 Hz / for AC / rated value	V	24		
 1 / of the fluorescent material / at 60 Hz / for AC / rated value 	V	24		

• 1 / of the fluorescent material / for DC / rated value	V	24		
Item designation				
 according to DIN 40719 extendable after IEC 204-2 / according to IEC 750 		н		
according to DIN EN 61346-2		Ρ		
Mechanical design:	_			
Color / of the optical signal element		red		
External diameter / of the signal column element	mm	70		
Lamp:				
Nature of fluorescent material		LED		
Ambient conditions:				
Ambient temperature				
during operating	°C	-20 +50		
Protection class IP		IP65		
Depth	mm	70		
Height	mm	56		
Width	mm	70		
Certificates/approvals:				
General Product Approval EMC	Declaration Conformity	of	Shipping Approval	
	EG-Konf.		ĴÅ DNV DNV	
Further information:				
Information- and Downloadcenter (Catalogs, Brochures,)				
Information- and Downloadcenter (Catalogs, Brochures,) http://www.siemens.com/industrial-controls/catalogs Industry Mall (Online ordering system)				
Further information: Information- and Downloadcenter (Catalogs, Brochures,) http://www.siemens.com/industrial-controls/catalogs Industry Mall (Online ordering system) http://www.siemens.com/industrial-controls/mall Cax online generator: http://www.siemens.com/cax				

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8WD4420-5AB







\W9.4444; \W6.8333; 8WD44..-

last change:

Mar 18, 2013