

Rittal – The System.

Faster – better – everywhere.

Universal consoles TP – TP 2694.500

Date : Aug 25, 2014

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Universal consoles TP – TP 2694.500

created : 25.08.2014 on www.rittal.com/com-en



Product description

Material:	Enclosure, gland plates: Sheet steel 1.5 mm Door: Sheet steel, 2.0 mm Mounting plate: Sheet steel 3.0 mm
Surface finish:	Enclosure and door: Dipcoat primed, powder-coated on the outside, textured paint Mounting plate and gland plates: Zinc-plated
Colour:	RAL 7035
Protection category IP to IEC 60 529:	IP 55 Note: For universal console with short front door: The drawer or desk section should be fitted in order to preserve the protection category. The keyboard drawer may be installed without a mounting plate.
Protection category NEMA:	NEMA 12
IK Code:	IK08
Supply includes:	Enclosure with door(s) Mounting plate Gland plates
Note:	For universal console with short front door: The drawer or desk section should be fitted in order to preserve the protection category. The keyboard drawer may be installed without a mounting plate.
Packs of:	1 pc(s).
EAN:	4028177031487
Customs tariff	94032080

number:

Product features

Design: with short front door

Dimensions: Width: 600 mm
Height: 1300 mm
Depth (top): 417.5 mm
Depth (bottom): 500 mm

Mounting plate: Width: 499 mm
Height: 1196 mm

Weight: 77 kg

Approvals

Approvals:  [UL \(EN\)](#)
 [TUV \(DE\)](#)
 [Lloyds Register of Shipping \(EN\)](#)
 [Russian Maritime Register of Shipping \(EN\)](#)
 [VDE \(DE\)](#)
 [CSA \(EN\)](#)
 [Germanischer Lloyd \(EN\)](#)

Certificates:  [IK-Code \(EN\)](#)

Downloads

Data sheets:  [Technical details \(EN\)](#)

Documentation:  [Instructions \(EN, DE\)](#)

CAD drawings: Request