



Product data sheet





Item No. 92.257.3000.1

Cable assembly GST18I5K1BS 15 30SW

gesis® Extension cable female - male; length: 3m; type GST18l5; 5-pole; 250/400 V / 16 A; colour of coding: black with black strain-relief; cable: H05VV-F 5G1,5, colour: black







| Item No. | 92.257.3000.1 |
|------------|---------------|
| EAN | 4015573587922 |
| Order Unit | 15 Piece(s) |

Certificates / Approvals





Technical data

General

| Rated current | 16 A |
|--|----------------|
| Rated voltage | 250 V |
| Rated impulse voltage | 4 kV |
| Pollution degree | 2 |
| Mechanical coding | Code 1 |
| Lockable | Yes |
| Color of coding/ contact carrier | Black |
| Marking of poles | 3, N, PE, 2, 1 |
| Color of housing inclusive strain relief | Black |

Model

| Nominal cross section conductor | 1.5 mm ² |
|---------------------------------|---------------------|
| Degree of protection (IP) | IP20 |
| Cable type | H05VV-F |
| Cable colour | Black |
| Cable diameter | 10.1 mm |
| Version of cable | Female - male |
| Type of cord set | Connecting cable |
| Version cable end 1 | GST18i5 female |
| Version cable end 2 | GST18i5 plug |

Material

| Surface finish | Tin-plated |
|---|------------|
| Halogen free | No |
| Continuous temperature of cable | 70 °C |
| Insulation components continous temperature | 100 °C |

Dimensions

| Total length | 3 m |
|--------------|-------|
| Total length | 3 111 |





Technical drawing

