





LOGIC 60 R 93020 ANO

213 45 811 932 ANO

AVAILABLE IN
ALU ANODIZED 213 45 811 932 ANO



[View on website](#)



General info

LOCATION	exterior
INSTALLATION	Floor Recessed
CUTOUT SHAPE/SIZE (MM)	round - 61
RECESSED DEPTH (MM)	100
INGRESS PROTECTION	IP67
PROTECTION AGAINST MECHANICAL IMPACT	IK08
WEIGHT (KG)	0.5
ADJUSTABILITY	non adjustable
INFORMATION	REFLECTOR FL-20° INCL.1 x CABLE H05 RN-F 2 x 1mm ² 0,5m EXCL.LED POWER SUPPLY 350mA-DC IEC 60598-2-13 : max.150kg 25N/cm ² ESG 5mm

Electrical info

CLASS	III
ENERGY CLASS	E

Lightsource info

Lightsource Name	LED
Lightsource	LED array 7,1W / CRI>90 (R9: 52) / 3000K / 812lm
TM-30 Values	Rf: 90 / Rg: 99
SDCM	SDCM2
Riskgroup	RG1
LM80	L90B10 > 50000
LED Technics (light source)	812lm // 7,1W // 115lm/W
LED Technics (luminaire)	750lm // 8W // 92lm/W

Requirements

LED POWER SUPPLY 350mA-DC DIM

Options

LOGIC 60 BOX R
CBOX
IP68 CONNECTION KIT
IP68 CONNECTOR 3P



LOGIC 60 R 93020 ANO

213 45 811 932 ANO

For detailed installation instructions, please consult the manual: [**213_45_811_XXX_HAND.pdf**](#)


LOGIC 60 R 93020 ANO

213 45 811 932 ANO

FINISH YOUR SPECIFICATION


LED power supplies

#




300 48 350 ED1 LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W DIM1

1

☐



300 48 350 ED5 LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W DIM5

1

☐



300 48 350 MDL LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W MDL

1

☐



300 48 350 WDL LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W WDL

1

☐



300 90 61 LED POWER SUPPLY MULTI-POWER DIM6

1->2

☐



300 90 63 LED POWER SUPPLY MULTI-POWER DIM9

1->3(3)

☐



300 90 64 LED POWER SUPPLY MULTI-POWER DIM7

1->2(1)

☐


300 90 67 LED POWER CONVERTER 24V-DC TO MULTI CURRENT 48W DIM9

1->2

☐



300 90 68 LED POWER SUPPLY MULTI-POWER DIM5

1->2(1)

☐

LOGIC 60 R 93020 ANO

213 45 811 932 ANO



300 90 69

LED POWER SUPPLY MULTI-POWER HV DIM9


2->5(5)

☐


300 90 124

LED POWER SUPPLY MULTI-POWER DIM7


2 (2)

☐


300 90 125

LED POWER SUPPLY MULTI-POWER MINI DIM5


2 (2)

☐


300 90 135

LED POWER SUPPLY MULTI-POWER HV


3->3

☐


21012 0010

LED POWER SUPPLY MULTI POWER


1->2

☐


21012 0021

LED POWER SUPPLY MULTI POWER DIM1


1->2

☐


21012 0035

LED POWER SUPPLY MULTI POWER DIM5


1->2

☐


21012 004W

LED POWER SUPPLY MULTI-POWER WDL


1->3(3)

☐


21012 005W

LED POWER SUPPLY MULTI-POWER COMPACT WDL

1->2

☐


21012 0258


LED POWER SUPPLY MULTI POWER 200-350 / 10W DIM8


1

☐


LOGIC 60 R 93020 ANO

213 45 811 932 ANO


	21012 0298	LED POWER SUPPLY MULTI POWER 250-900 / 20W DIM8	2	☐
--	-------------------	---	---	--------------------------


	21032 0295	LED POWER CONVERTER 48V-DC to 350 mA-DC / 15W DIM5	1	☐
--	-------------------	--	---	--------------------------


Ground mounting boxes


	213 19 10	LOGIC 60 BOX R		☐
--	------------------	----------------	--	--------------------------

Waterproof connection parts

	216 12 00	CBOX		☐
--	------------------	------	--	--------------------------

	216 12 01	IP68 CONNECTION KIT		☐
--	------------------	---------------------	--	--------------------------

	216 12 02	IP68 CONNECTOR 3P		☐
--	------------------	-------------------	--	--------------------------

	216 14 35	CBOX 350 mA / 10W	1	☐
--	------------------	-------------------	---	--------------------------



LOGIC 60 R 93020 ANO

213 45 811 932 ANO

Notes: