



SUPERLOOP HC 90 SPR 930 FG

321 209 93 FG



AVAILABLE IN

BLACK 321 209 93 B

FLEMISH BRONZE 321 209 93 FBR

FLEMISH GOLD 321 209 93 FG

WHITE 321 209 93 W



[View on website](#)



General info

LOCATION	interior
INSTALLATION	Ceiling Suspended
INGRESS PROTECTION	IP20
WEIGHT (KG)	3
ADJUSTABILITY	non adjustable
INFORMATION	INCL.PC SBL EXCL.LED POWER SUPPLY 700-900mA-DC INCL.3 x CABLE SUSPENSION SINGLE AUTO. 3.0m INCL.1 x CABLE 2 x 0.75mm ²

Electrical info

CLASS	III
ENERGY CLASS	E

Lightsource info

Lightsource Name	LED
Lightsource	LED cluster 28,2-39W / CRI>90 (R9: 59) / 3000K / 3888-5160lm
SDCM	SDCM3
LED Technics (light source)	5160lm // 39W // 132lm/W
LED Technics (luminaire)	3836lm // 45W // 86lm/W

Requirements

LED POWER SUPPLY 700 / 900mA-DC DIM
SUPERLOOP POWERBOX L/H 700mA
SUPERLOOP POWERBOX H 900mA

Options

CABLE BASE R / S
COVERSET R 62-90-100 / S 62-80-90
CONNECTION ST / CONNECTION TRIMLESS
SUSPENSION ST / SUSPENSION TRIMLESS



SUPERLOOP HC 90 SPR 930 FG

321 209 93 FG



For detailed installation instructions, please consult the manual: [321_X09_93_HAND.pdf](#)

SUPERLOOP HC 90 SPR 930 FG

321 209 93 FG

FINISH YOUR SPECIFICATION

Current supply


	<u>203 99 55 ANO</u> CABLE BASE R ANO	☐
	<u>203 99 55 B</u> CABLE BASE R B	☐
	<u>203 99 55 W</u> CABLE BASE R W	☐
	<u>203 99 56 ANO</u> CABLE BASE S ANO	☐
	<u>203 99 56 B</u> CABLE BASE S B	☐
	<u>203 99 56 W</u> CABLE BASE S W	☐

SUPERLOOP HC 90 SPR 930 FG

321 209 93 FG

LED power supplies


#



300 90 128

LED POWER SUPPLY 700mA-DC / 36W DIM1


1

☐


300 90 129

LED POWER SUPPLY 900mA-DC / 60W DIM5


1

☐


300 90 131

LED POWER SUPPLY 700mA-DC / 38W DIM5

1

☐


321 55 207 ED1 B

SUPERLOOP POWERBOX L 700mA DIM1 B


1

☐

321 55 207 ED1 W

SUPERLOOP POWERBOX L 700mA DIM1 W

1

☐


321 55 307 ED5 B

SUPERLOOP POWERBOX H8 700mA DIM5 B


1

☐

321 55 307 ED5 W

SUPERLOOP POWERBOX H8 700mA DIM5 W

1

☐


321 55 309 ED5 B

SUPERLOOP POWERBOX H 900mA DIM5 B


1

☐

321 55 309 ED5 W

SUPERLOOP POWERBOX H 900mA DIM5 W

1

☐


20548 0015 B

SUPERLOOP POWERBOX H9 900mA DIM5 B

1

☐

20548 0015 W

SUPERLOOP POWERBOX H9 900mA DIM5 W


1

☐

SUPERLOOP HC 90 SPR 930 FG

321 209 93 FG

Coversets




204 00 62 ANO COVERSET R 62 ANO

☐

204 00 62 B COVERSET R 62 B

☐

204 00 62 W COVERSET R 62 W

☐



204 00 90 ANO COVERSET R 90 ANO

☐

204 00 90 B COVERSET R 90 B

☐

204 00 90 W COVERSET R 90 W

☐



204 00 100 ANO COVERSET R 100 ANO

☐

204 00 100 B COVERSET R 100 B

☐

204 00 100 W COVERSET R 100 W

☐



204 62 62 ANO COVERSET S 62 ANO

☐

204 62 62 B COVERSET S 62 B

☐

204 62 62 W COVERSET S 62 W

☐


204 80 80 ANO COVERSET S 80 ANO

☐


204 80 80 B COVERSET S 80 B

☐

SUPERLOOP HC 90 SPR 930 FG

321 209 93 FG

204 80 80 W COVERSET S 80 W

☐


204 90 90 ANO COVERSET S 90 ANO

☐


204 90 90 B COVERSET S 90 B

☐


204 90 90 W COVERSET S 90 W

☐

Suspension parts



328 10 01 SUSPENSION TRIMLESS O.F.A.

☐



15225 0340 B SUSPENSION ST B

☐


15225 0340 W SUSPENSION ST W

☐

Electric connection parts



328 10 03 CONNECTION TRIMLESS O.F.A.

☐


15225 0360 B CONNECTION ST B

☐

15225 0360 W CONNECTION ST W

☐

SUPERLOOP HC 90 SPR 930 FG

321 209 93 FG

Notes: