



INFORM R2 DOWN 93048 B-MMAT

26817 9320 B-MMAT

AVAILABLE IN



BLACK-BLACK 26817 9320 B-B

BLACK-GOLD MATT 26817 9320 B-MMAT

FLEMISH GOLD-BLACK 26817 9320 FG-B

WHITE-BLACK 26817 9320 W-B

WHITE-WHITE 26817 9320 W-W



[View on website](#)

General info

LOCATION	interior
INSTALLATION	Ceiling Surface mounted,Ceiling Suspended
INGRESS PROTECTION	IP20
WEIGHT (KG)	1.8
ADJUSTABILITY	non adjustable
INFORMATION	96 x REFLECTOR WFL-71° EXCLLED POWER SUPPLY 700mA-DC

Electrical info

CLASS	III
ENERGY CLASS	C

Lightsource info

Lightsource Name	LED
Lightsource	LED cluster 22,9W / CRI>90 (R9: 50) / 3000K / 3504lm
SDCM	SDCM3
LM80	L80 > 60000
LED Technics (light source)	3504lm // 22,9W // 153lm/W
LED Technics (luminaire)	2926lm // 26W // 111lm/W

Requirements

LED POWER SUPPLY 700mA-DC DIM

Options

SUSPENSION SET 30 2x0,75 1,6m
CABLE BASE R / S
COVERSET R 62-90-100 / S 62-80-90

INFORM R2 DOWN 93048 B-MMAT

26817 9320 B-MMAT


For detailed installation instructions, please consult the manual: [26817_XXX0_HAND.pdf](#)

INFORM R2 DOWN 93048 B-MMAT


26817 9320 B-MMAT

FINISH YOUR SPECIFICATION

Current supply

	41 203 99 55 ANO CABLE BASE R ANO	☐
	203 99 55 B CABLE BASE R B	☐
	203 99 55 W CABLE BASE R W	☐
	41 203 99 56 ANO CABLE BASE S ANO	☐
	203 99 56 B CABLE BASE S B	☐
	203 99 56 W CABLE BASE S W	☐


LED power supplies

		#
	300 90 64 LED POWER SUPPLY MULTI-POWER DIM7	1 ☐
	300 90 68 LED POWER SUPPLY MULTI-POWER DIM5	1 ☐

INFORM R2 DOWN 93048 B-MMAT

26817 9320 B-MMAT

Coversets




204 00 62 ANO COVERSET R 62 ANO

☐

204 00 62 B COVERSET R 62 B

☐

204 00 62 W COVERSET R 62 W

☐



204 00 90 ANO COVERSET R 90 ANO

☐

204 00 90 B COVERSET R 90 B

☐

204 00 90 W COVERSET R 90 W

☐



204 00 100 ANO COVERSET R 100 ANO

☐

204 00 100 B COVERSET R 100 B

☐

204 00 100 W COVERSET R 100 W

☐



204 62 62 ANO COVERSET S 62 ANO

☐

204 62 62 B COVERSET S 62 B

☐

204 62 62 W COVERSET S 62 W

☐


204 80 80 ANO COVERSET S 80 ANO

☐


204 80 80 B COVERSET S 80 B

☐

INFORM R2 DOWN 93048 B-MMAT

26817 9320 B-MMAT

204 80 80 W COVERSET S 80 W

☐


204 90 90 ANO COVERSET S 90 ANO

☐

204 90 90 B COVERSET S 90 B

☐

204 90 90 W COVERSET S 90 W

☐

Suspension parts




15225 0300 B SUSPENSION SET 30 2x0,75 1,6m B

☐

15225 0300 W SUSPENSION SET 30 2x0,75 1,6m W

☐

Electric connection parts



15225 0360 B CONNECTION ST B

☐

15225 0360 W CONNECTION ST W

☐

Notes: