





M26L - SPY 27I 92730 MDL W 23210 9220 W

AVAILABLE IN
BLACK 23210 9220 B
FLEMISH BRONZE 23210 9220 FBR
FLEMISH GOLD 23210 9220 FG
GOLD COLORED 23210 9220 GC
WHITE 23210 9220 W



[View on website](#)

General info

LOCATION	interior
INGRESS PROTECTION	IP20
WEIGHT (KG)	0.2
ADJUSTABILITY	0° to 85° swiveling, 360° rotatable
INFORMATION	REFLECTOR FL-30° EXCLLED POWER SUPPLY 48V-DC SPY 27 TUBE B included

Electrical info

ELECTRICAL	48V-DC
CLASS	III
DIM TYPE	MDL : 1-10V or DALI or push button
ENERGY CLASS	D

Lightsource info

Lightsource Name	LED
Lightsource	LED array 5,8W / CRI>90 (R9: 60) / 2700K / 753lm
TM-30 Values	Rf: 89 / Rg: 100
SDCM	SDCM1
Riskgroup	RG1
LM80	L90B10 > 50000
LED Technics (light source)	753lm // 5,8W // 129lm/W

Remarks

Take a look at our **MAGNETIC PROFILES** movie

Requirements

LED POWER SUPPLY 48V-DC

Options

DIMMABLE MODULATOR

M26L - SPY 271 92730 MDL W

23210 9220 W

Accessories

VISOR 27

For detailed installation instructions, please consult the manual: [23210_XXX0_HAND.pdf](#)


M26L - SPY 271 92730 MDL W

23210 9220 W

FINISH YOUR SPECIFICATION

Current supply

#




21032 0030 SMART 48 MODULATOR PLUG-IN WD

28

☐


SMART 48

#



300 90 011 SMART 48 MODULATOR DIM9

28

☐



300 90 012 SMART 48 MODULATOR WD

28

☐


LED power supplies

#




300 89 48 100 LED POWER SUPPLY 48V-DC / 100W DIN

15

☐



300 89 48 240 LED POWER SUPPLY 48V-DC / 240W DIN

36

☐


21012 0230 LED POWER SUPPLY 48V-DC / 100W

15

☐


21012 0240 LED POWER SUPPLY 48V-DC / 200W

30


☐



M26L - SPY 271 92730 MDL W





23210 9220 W

Light altering devices



24144 0040 B VISOR 27 B

COMPATIBLE COMPOSABLES

SHIFTLINE M26L profile (+ SHIFTLINE M26L MATRIX)	Available Colours
 23358 0000 SLM26L - PROFILE 3m	
 23358 0010 SLM26L - PROFILE 1m	
 23358 0020 SLM26L - PROFILE 2m	
 23358 0030 SLM26L - PROFILE 3m	

Notes: