





MULTINOVA 355 PRISM 930 DIM4 B

28063 9304 B

AVAILABLE IN
BLACK 28063 9304 B
WHITE 28063 9304 W



[View on website](#)

General info

LOCATION	interior
INSTALLATION	Ceiling Suspended
INGRESS PROTECTION	IP20
WEIGHT (KG)	14
ADJUSTABILITY	non adjustable
INFORMATION	INCL.PC PRISMATIC INCL.DIMMABLE LED POWER SUPPLY INCL.3 x CABLE SUSPENSION SINGLE AUTO. 3.0m INCL.1 x CABLE 5 x 0.75mm ²

Electrical info

ELECTRICAL	220-240V / 50-60Hz
CLASS	I
POWER SUPPLY INCLUDED	YES
DIM TYPE	DALI or DSI or push button
ENERGY CLASS	D

Lightsource info

Lightsource Name	LED
Lightsource	3 x (LED cluster 34,4W / CRI>90 (R9: 68) / 3000K / 4767lm)
TM-30 Values	Rf: 89 / Rg: 97
SDCM	SDCM3
LED Technics (light source)	14301lm // 103,2W // 139lm/W
LED Technics (luminaire)	10398lm // 119W // 88lm/W

Options

CABLE BASE R / S
COVERSET R 62-90-100
CONNECTION ST / CONNECTION TRIMLESS
SUSPENSION ST / SUSPENSION TRIMLESS


For detailed installation instructions, please consult the manual: [28063_XXX4_HAND.pdf](#)

MULTINOVA 355 PRISM 930 DIM4 B

28063 9304 B




FINISH YOUR SPECIFICATION

Current supply

	<u>203 99 55 ANO</u> CABLE BASE R ANO	☐
	<u>203 99 55 B</u> CABLE BASE R B	☐
	<u>203 99 55 W</u> CABLE BASE R W	☐
	<u>203 99 56 ANO</u> CABLE BASE S ANO	☐
	<u>203 99 56 B</u> CABLE BASE S B	☐
	<u>203 99 56 W</u> CABLE BASE S W	☐

MULTINOVA 355 PRISM 930 DIM4 B
 28063 9304 B


Coversets

	<u>204 00 62 ANO</u> COVERSET R 62 ANO	☐
	<u>204 00 62 B</u> COVERSET R 62 B	☐
	<u>204 00 62 W</u> COVERSET R 62 W	☐
	<u>204 00 90 ANO</u> COVERSET R 90 ANO	☐
	<u>204 00 90 B</u> COVERSET R 90 B	☐
	<u>204 00 90 W</u> COVERSET R 90 W	☐
	<u>204 00 100 ANO</u> COVERSET R 100 ANO	☐
	<u>204 00 100 B</u> COVERSET R 100 B	☐
	<u>204 00 100 W</u> COVERSET R 100 W	☐

MULTINOVA 355 PRISM 930 DIM4 B


28063 9304 B

Suspension parts



328 10 01

SUSPENSION TRIMLESS O.F.A.

☐

15225 0340 B

SUSPENSION ST B


☐

15225 0340 W

SUSPENSION ST W


☐

Electric connection parts



328 10 03

CONNECTION TRIMLESS O.F.A.

☐

15225 0360 B

CONNECTION ST B

☐

15225 0360 W

CONNECTION ST W

☐

Notes: