

LED DOWNLIGHT SERIE (ACCENTVERLICHTING)

(LED DOWNLIGHT SERIES (ACCENT LIGHTING))




Modulaire LED downlight

9W, incl. separate LED voeding

Modular LED downlight

9W, including separate LED driver



CE IP20

- Modulaire LED inbouwarmatuur
- Leverbaar in verschillende ronde en vierkante, vaste en (draai-)kantelbare uitvoeringen in wit, zilver, zwart, RVS look, chroom of messing
- De LED module heeft een hoogwaardig geëxtrudeerd aluminium koellichaam om de lichtterugval tot een minimum te beperken
- Verdiept gemonteerde LED met reflector om verblinding te beperken en het effect van een halogeen reflectorlamp te evenaren

Toepassingsgebieden: hotels, musea, tentoonstellingen, restaurants, cafés, beursstands, winkels, representatieve ruimtes, etc.

- Modular recessed LED downlight
- Available in various round and square, fixed and (rotating) tilt versions in white, silver, black, stainless steel look, chrome or brass
- LED module is fitted with a high-quality extruded aluminum heat sink to minimize the luminous degradation
- Recessed mounted LED with reflector to reduce glare and to match the effect of a halogen reflector lamp

Applications: hotels, museums, exhibitions, restaurants, cafes, trade fair stands, sales and promotional areas, private homes, etc.

Lichtbron (Light source): 7W

Verlichtingshoek (Beam angle): 25°/ 40°/ 60°

Kleurtemperatuur (Color temperature): 2700K of (or) 3000K (Warm wit) (Warm white), 4000K (Puur wit) (Pure white), 6000K (Koud wit) (Cool white), 2800K-2000K (Dim to warm)

Lichtstroom (Light output): 700LM/720LM/770LM/830LM/450LM

Kleurweergave index (Color rendering index): Ra ≥ 85/85/80/75

Bedrijfstemperatuur (Operating temperature): -30°C - +40°C

Aantal branduren (Rated life hours): > 50.000

LED voeding (LED driver): CE

Voedingsspanning (Input): 220-240V AC 50/60Hz

LED stroom (LED current): 350mA

Opgenomen vermogen (inclusief voeding) (Power consumption (driver included)): Max 9W

42180xxx

vanaf
from € 31

Artikelkeuze modulaire LED downlights

Item selection modular LED downlights

De modulaire LED downlight serie is opgebouwd uit drie deelartikelen: een LED module, een armatuurring en een LED driver. Elk deelartikel heeft een eigen artikelnummer. Via de onderstaande tabellen kunt u uw eigen LED downlight configureren.

The modular LED downlight series is composed of three sub-items: a LED module, a fixture ring and a LED driver. Each sub-item has its own part number. Using the tables below, you can configure your own LED downlight.

Artikelkeuze LED module (Item selection LED module)

	LED module	Verlichtingshoek (Beam angle)	Kleurtemperatuur (Color temperature)	Prijs (Price)
	421800/.. ¹ / .. ²	.. ¹	.. ²	
		1: 25°	0: 3000K	€ 18,50
		2: 40°	1: 4100K	
		3: 60°	2: 5600K	
			3: 2700K	
			4: Dim to warm (2800K - 2000K) (450Lm)	€ 29,50

Artikelkeuze armatuurring (Item selection fixture ring)

	Armatuurring (Fixture ring)	Soort (Variety)	Kleur ring (Ring color)	Prijs (Price)
	421801/.. ³ / .. ⁴	.. ³	.. ⁴	
		0: Rond (Round) ø 82 mm, vast (fixed)	0: Wit (White)	€ 4,00
		1: Rond (Round) ø 87 mm, kantelbaar (tiltable)	1: Zwart (Black)	
		2: Rond (Round) ø 108 mm, draai- en kantelbaar (rotating and tiltable)	2: Zilver (Silver)	
		3: Vierkant (Square) # 82 mm, vast (fixed)	3: RVS look (Stainless steel look)	€ 12,00
		4: Vierkant (Square) # 87 mm, kantelbaar (tiltable)	4: Chroom (Chrome)	
			5: Messing (Brass)	

Artikelkeuze LED driver (Item selection LED driver)


	LED driver	Dimoptie (Dimming option)	Prijs (Price)
	4218000/.. ⁵	.. ⁵	
		0: Niet dimbaar (not dimmable)	€ 8,50
		1: Dimbaar (dimmable), fase afsnijding (trailing edge)	€ 18,50
		2: 0-10V dimbaar (0-10V dimmable)	€ 40,00
		3: DALI dimbaar (DALI dimmable)	€ 45,00

LED DOWNLIGHT SERIE (ACCENTVERLICHTING)


(LED DOWNLIGHT SERIES (ACCENT LIGHTING))




Rond ø 82 mm, vast
Round ø 82 mm, fixed




Vierkant #82 mm, vast
Square #82 mm, fixed




Rond ø 87 mm, kantelbaar
Round ø 87 mm, tiltable



Vierkant #87 mm, kantelbaar
Square #87 mm, tiltable



Rond ø 108 mm, draai- en kantelbaar
Round ø 108 mm, rotating and tiltable



Voorbeeld samengestelde modulaire LED downlight

Example composed modular LED downlight





Voor de ronde draai- en kantelbare downlight (ø 108 mm) in RVS look afwerking met warm witte lichtkleur (2700K), 40° openingshoek en dimbare driver zijn de volgende artikelen benodigd:



For the round tilt and swivel downlight (ø108 mm) in stainless steel look with warm white (2700K) light color, 40° beam angle and dimmable driver the following items are needed:

1. LED module: **42180023**
2. Armatuurring (Fixture ring): **42180123**
3. LED driver: **42180001**



LED Downlight
9W 3000K
25°



LED Downlight
9W 3000K
40°



LED Downlight
9W 3000K
60°



LED DOWNLIGHT SERIE (ACCENTVERLICHTING)

(LED DOWNLIGHT SERIES (ACCENT LIGHTING))














Springveer, rond,
vast (Spring clips,
round, fixed), ø 82 mm



Springveer, rond,
kantelbaar (Spring clips,
round, tiltable), ø 87 mm

Springveer, rond, draai-
en kantelbaar (Spring
clips, round, rotating and
tiltable), ø 108 mm

Springveer, vierkant,
vast (Système de
fixation avec ressort,
carré, fixé), # 82 mm

Springveer, vierkant,
kantelbaar (Spring clips,
square, tiltable),
87 mm


Puur wit (Pure white)	 42180109 € 4	 42180119 € 6	 42180129 € 9	 42180139 € 4	 42180149 € 6
Wit (White)	 42180100 € 4	 42180110 € 6	 42180120 € 9	 42180130 € 4	 42180140 € 6
Zwart (Black)	 42180101 € 4	 42180111 € 6	 42180121 € 9	 42180131 € 4	 42180141 € 6
Zilver (Silver)	 42180102 € 4	 42180112 € 6	 42180122 € 9	 42180132 € 4	 42180142 € 6
RVS look (RVS look)	 42180103 € 6	 42180113 € 9	 42180123 € 12	 42180133 € 6	 42180143 € 9
Chroom (Chrome)	 42180104 € 6	 42180114 € 9	 42180124 € 12	 42180134 € 6	 42180144 € 9
Messing (Brass)	 42180105 € 6	 42180115 € 9	 42180125 € 12	 42180135 € 6	 42180145 € 9



€ 8,50



LED DOWNLIGHT SERIE (ACCENTVERLICHTING) (LED DOWNLIGHT (ACCENT LIGHTING))



TOEPASSINGSGEBIEDEN: HOTELS, MUSEA, TENTOONSTELLINGEN, RESTAURANTS, CAFÉS, BEURSSTANDS, WINKELS, REPRESENTATIEVE RUIMTES, ETC.

APPLICATIONS: HOTELS, MUSEUMS, EXHIBITIONS, RESTAURANTS, CAFES, TRADE FAIR STANDS, SALES AREAS AND PROMOTIONAL AREAS, ETC.

Referentie: Rick Moorman | House of Men, Amsterdam, Nederland (Reference: Rick Moorman | House of Men, Amsterdam, The Netherlands)