


PRODUCT-DETAILS

6126/02-885

6126/02-885 Control element 2/4gang



Algemene informatie

Type	6126/02-885
Artikelnummer	2CKA006116A0194
EAN	4011395139844
Omschrijving	6126/02-885 Control element 2/4gang
Omschrijving	For ABB i-bus® KNX 6120/12-101, 6120/13. With labelling field. Support of KNX functions through innovative colour concept (yellow=lighting, blue=blind, orange=RTC, magenta=scene and white=neutral/no function assigned) or standard illumination red/green. Push switch function: switching / dimming / blind / sending values / scenes etc. Transparent labelling sheet with standard symbols included in delivery. Incl. 10 logic channels (light scene actuator, sequence actuator, logic gates, etc.).

Ordering

EAN	4011395139844
Nummer douanetarief	85389099
Minimale bestelhoeveelheid	1 stuk

Dimensions

Product netto gewicht	34 g
-----------------------	------

Container Information

Pakketniveau 1 Units	1 stuk
Pakketniveau 1 EAN	4011395139844
Pakketniveau 1 Lengte	78 mm
Pakketniveau 1 Hoogte	58 mm
Pakketniveau 1 Breedte	92 mm
Pakketniveau 1 Brutogewicht	0.072 kg

Technical

Omgevingsluchttempera tuur	Operation -5 ... +45 °C
Compatibele bussystemen	KNX (TP)
Beschermingsgraad	IP20
Montagetype	Flush Mounted
Aantal drukknoppen (contacten)	4

Certificates and Declarations (Document Number)

Gegevensblad, technische informatie	No document needed
Conformiteitsverklaring - CE	2CKA100000E0907
Instructies en handleidingen	DEBJE-ba_73_1_7441_6125_26_27_29-02
RoHS-informatie	9AKK104295D8727

Environmental

RoHS-status	Following EU Directive 2002/95/EC August 18, 2005 and amendment
-------------	---

Classifications

ETIM 7	EC000672 - Touch sensor for bus system
ETIM 8	EC000672 - Touch sensor for bus system
eClass	V11.0 : 27143138
WEEE-categorie	5. Small Equipment (No External Dimension More Than 50 cm)

Categorieën

Laagspanningsproducten en -systemen → Gebouwautomatisering → KNX → Gebruikershandleiding - Solo → 2/4-voudig

