

PRODUCT-DETAILS

E214-16-101

E214-16-101 Group Switch, 16 A, acc. to EN 250 V AC, 0NO, 0NC, 1CO, El. Color: Grey, MW: 0.5



Algemene informatie

Type	E214-16-101
Artikelnummer	2CCA703025R0001
EAN	7612270938735
Omschrijving	E214-16-101 Group Switch, 16 A, acc. to EN 250 V AC, 0NO, 0NC, 1CO, El. Color: Grey, MW: 0.5
Omschrijving	Group switches (I-O-II) according DIN EN 60669-1, VDE 0632 Part 1, Rated currents: 16/25 A, 250 V AC PDC, Contacts: 1 CO/2 CO, Module width: 0,5/1

Technical

Normen	EN60669-1 VDE0632-1 IEC60068-2-2 IEC60068-2-1 IEC60068-2-38 UL508
Toegekende spanning (U_r)	Minimum 250 V
Nominaal bedrijfsvoltage	acc. to EN 250 V AC acc. To UL 508 240 V AC
Nominale impuls grensvoltage (U_{imp})	6 kV
Ingangsspanningstype	AC

Toegekende stroom (I_n)	16 A
Nominaal vermogen kortsluitvermogen (I_{cs})	3 kA
Toegekende frequentie (f)	50/60 Hz
Vermogensverlies	0.32 W
Aantal polen	1
Aantal contacten CO	1
Aantal contacten NC	0
Aantal contacten NO	0
Aantal hoofdcontacten NC	0
Aantal hoofdcontacten NO	0
Aantal hulpcontacten CO (SPDT)	1
Aanhaalmoment	1.2-1.5 N·m
Schakelvorm	Double Interrupting Contacts
Geleidermateriaal	Copper
Geleverde opties	1 CO
Opmerkingen	Sealable in the On and Off positions
Afdekkleur	Grey
Kleur bedieningselementen	Grey
Verbindingscapaciteit	Solid 1x1...6 mm ² Solid 2x2.5 mm ² Flexible 1x0.75...2x2.5 mm ²

Environmental

Omgevingsluchttemperatuur	Operation -25...+55 °C Storage -40...+70 °C
Beschermingsgraad	IP20
RoHS-status	Following EU Directive 2002/95/EC August 18, 2005 and amendment
Milieu-informatie	2CCC441003C0201

Dimensions

Breedte in module-eenheden	0.5
Product netto breedte	9 mm
Product netto hoogte	85 mm
Product netto diepte	68 mm
Product netto gewicht	44 g
Product netto lengte	93 mm
Inbouwdiepte (t_2)	68 mm

Container Information

Pakketniveau 1 Units	box 10 stuk
Pakketniveau 1 Breedte	96 mm
Pakketniveau 1 Hoogte	76 mm

Pakketniveau 1 Lengte	95 mm
Pakketniveau 1 Brutogewicht	495 g
Pakketniveau 1 EAN	7612270938735

Ordering

Minimale bestelhoeveelheid	10 stuk
Nummer douanetarief	85365000
E-Number (Finland)	3602418
E-Number (Sweden)	2102793
E-Number (Switzerland)	437162138
Land van herkomst	Switzerland (CH)

Certificates and Declarations (Document Number)

CB-certificaat	9AKK108466A3845
CCC-certificaat	9AKK108466A3832
Conformiteitsverklaring - CE	2CCC441014D0201
EAC-certificaat	9AKK107991A4779
Milieu-informatie	2CCC441003C0201
Instructies en handleidingen	No document needed
RoHS-informatie	2CCC413008D0206
VDE-certificaat	9AKK107991A9822

Popular Downloads

Gegevensblad, technische informatie	2CCC441003C0101
Instructies en handleidingen	No document needed

Classifications

ETIM 7	EC001545 - Main switch for distribution board
ETIM 8	EC001545 - Main switch for distribution board
EPLAN-catalogus boom	Electrical engineering / Sensor, switch, and pushbutton / Switch , pushbutton
WEEE-categorie	5. Small Equipment (No External Dimension More Than 50 cm)
AEEA B2C / B2B	Business To Consumer
CN8	85365053
eClass	V11.0 : 27142301
Object classificatiecode	S

Categorieën

Laagspanningsproducten en -systemen → Modulaire DIN rail producten → Command and Signalling Devices → Control Switches, Pushbuttons and Indicator Lights

