

PRODUCT-DETAILS

6197/15-101-500

6197/15-101-500 Uni Dim Actuator 4x600W/VA



Algemene informatie

Type	6197/15-101-500
Artikelnummer	2CKA006197A0039
EAN	4011395163696
Omschrijving	6197/15-101-500 Uni Dim Actuator 4x600W/VA
Omschrijving	Multichannel universal dimming actuator for controlling incandescent lamps, 230 V incandescent halogen lamps, low-voltage halogen lamps with conventional or electronic transformers, and dimmable energy-saving halogen lamps. Optimized for dimming of Philips retrofit LEDs (LEDi). Increasing the max. load via channel bridging possible. The outputs can be switched parallel in any combination. Outputs automatically recognise the connected load. In addition, the operating mode can be selected manually. Status indication of the channels via LED. Direct manual operation with / without KNX voltage connected or in an unprogrammed status possible. Incl. 10 logic channels (light scene actuator, sequence actuator, logic gates, etc.).

Ordering

EAN	4011395163696
Nummer douanetarief	85389091
Minimale bestelhoeveelheid	1 stuk
E-Number (Finland)	2815422
E-Number (Sweden)	1751073

Dimensions

Product netto gewicht

0.649 kg

Container Information

Pakketniveau 1 Units	1 stuk
Pakketniveau 1 EAN	4011395163696
Pakketniveau 1 Lengte	248 mm
Pakketniveau 1 Hoogte	105 mm
Pakketniveau 1 Breedte	128 mm
Pakketniveau 1 Brutogewicht	0.902 kg

Technical

Omgevingsluchttempera tuur	Operation -5 ... +45 °C
Compatibele bussystemen	KNX (TP)
Beschermingsgraad	IP20
Montagetype	DIN-Rail
Breedte in module- eenheden	12

Certificates and Declarations (Document Number)

Gegevensblad, technische informatie	2CKA001373B7818
Conformiteitsverklaring - CE	2CKA100000E1313
Instructies en handleidingen	DEBJE-ba_0373_1_7211_6197-12-500-Man
RoHS-informatie	9AKK104295D8727

Environmental

RoHS-status	Following EU Directive 2002/95/EC August 18, 2005 and amendment
-------------	---

Classifications

ETIM 7	EC001094 - Dimming actuator for bus system
ETIM 8	EC001094 - Dimming actuator for bus system
eClass	V11.0 : 27143123
WEEE-categorie	5. Small Equipment (No External Dimension More Than 50 cm)

Categorieën

Laagspanningsproducten en -systemen → Gebouwautomatisering → KNX → Lichtbediening → Universele dimmeraandrijvingen

