

PRODUCT-DETAILS

DG/S 2.64.1.1

DG/S2.64.1.1 DALI Gateway, Basic, 2-fold, MDRC



Algemene informatie

Type	DG/S 2.64.1.1
Artikelnummer	2CDG110199R0011
EAN	4016779942850
Omschrijving	DG/S2.64.1.1 DALI Gateway, Basic, 2-fold, MDRC
Omschrijving	For controlling DALI devices via the ABB i-bus®. Two DALI output for up to 2x64 DALI slaves. DALI power supply is integrated. Control and status feedback is carried out via KNX per DALI slave (2x64), with groups (2x16), together in broadcast or per scenes (2x16). Extensive fault and error messages are available Self-contained emergency converter (2x64) acc. EN 62386-202 will be supported. By means of KNX and emergency converter different emergency tests (e.g. function and duration test) can be triggered. Feedback is sent. Slave-, staircase-, force-, block- and scene- function are integrated. DALI telegram rate can change. For diagnostic use and individual change of the DALI address or group assignment a separate Software-Tool is available

Ordering

EAN	4016779942850
Nummer douanetarief	85176200
Minimale bestelhoeveelheid	1 stuk
E-Number (Switzerland)	405670315
E-Number (Finland)	2815585
E-Number (Sweden)	1739090

Dimensions

Product netto diepte	63.5 mm
Product netto hoogte	90 mm
Product netto breedte	70 mm
Product netto gewicht	0.15 kg

Container Information

Pakketniveau 1 Units	box 1 stuk
Pakketniveau 1 EAN	4016779942850
Pakketniveau 1 Lengte	77 mm
Pakketniveau 1 Hoogte	65 mm
Pakketniveau 1 Breedte	92 mm
Pakketniveau 1 Brutogewicht	0.19 kg

Technical

Compatibele bussystemen	DALI KNX (TP)
Beschermingsgraad	IP20
Montagetype	DIN-Rail
Breedte in module- eenheden	4

Certificates and Declarations (Document Number)

CB-certificaat	9AKK108466A1905
Gegevensblad, technische informatie	2CDC507165D0111
Conformiteitsverklaring - CE	2CDK507169D2701
Instructies en handleidingen	2CDG941167P0001
RoHS-informatie	2CDK507169D2701

Environmental

RoHS-status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

Classifications

ETIM 7	EC001099 - System interface/media gateway for bus system
ETIM 8	EC001099 - System interface/media gateway for bus system
eClass	V11.0 : 27143136
WEEE-categorie	5. Small Equipment (No External Dimension More Than 50 cm)
UNSPSC	43222605
IGCC (IDEA granulaire categoriestructuur)	6809 >> System interface/media gateway for bus system

Categorieën

Laagspanningsproducten en -systemen → Gebouwautomatisering → KNX → Lichtbediening → DALI-poorten en lichtbediening

