

PRODUCT-DETAILS

TM15/12

TM15/12 Fail safe bell transformer



Algemene informatie

Type	TM15/12
Artikelnummer	2CSM228735R0802
EAN	8012542287353
Omschrijving	TM15/12 Fail safe bell transformer
Omschrijving	These transformers, with safety extremely-low voltage secondary (SELV), are suitable for driving loads that call for a discontinuous supply.

Technical

Normen	IEC/EN 61558-2-8
Toepassing	Residential
Primaire spanning	230 V
Secundaire spanning	(6-7) 4 V AC (5-6) 8 V AC (5-7) 12 V AC
Secundaire stroom	1.25 A
Maximale uitgangsstroom (I_{out})	3.75 A
Toegekende frequentie (f)	50/60 Hz
Vermogensverlies	2.5 W
Stroomvoorziening	15 V·A
Nominaal uitvoervermogen	15 W
Isolatieklasse	B

Aanhaalmoment	0.5 N-m
Type transformator	Fail - Safe Bell Transformers
Geleverde opties	None
Opmerkingen	Suitable for loads that require a discontinuous supply. Double insulation between primary and secondary windings
Verbindingscapaciteit	2.5 mm ²

Environmental

Beschermingsgraad	IP20
RoHS-status	Following EU Directive 2002/95/EC August 18, 2005 and amendment

Technical UL/CSA

Verbindingscapaciteit UL/CSA	14 AWG
---------------------------------	--------

Dimensions

Breedte in module-eenheden	2
Product netto breedte	35 mm
Product netto hoogte	0.085 m
Product netto diepte	0.065 m
Product netto gewicht	0.300 kg
Product netto lengte	65 mm

Container Information

Pakketniveau 1 Units	box 6 stuk
Pakketniveau 1 Breedte	0.09 m
Pakketniveau 1 Hoogte	0.08 m
Pakketniveau 1 Lengte	0.036 m
Pakketniveau 1 Brutogewicht	2.1 kg
Pakketniveau 1 EAN	8012542287360
Pakketniveau 2 Units	box 6 stuk
Pakketniveau 2 EAN	8012542287360

Ordering

Minimale bestelhoeveelheid	1 stuk
Nummer douanetarief	85043121
E-Number (Sweden)	5270507
Land van herkomst	Romania (RO)

Certificates and Declarations (Document Number)

Certificatieagentschap	IMQ
Conformiteitsverklaring - CE	9AKK106713A5640
EAC-certificaat	9AKK107992A6660
IMQ-certificaat	9AKK107992A6764
Instructies en	No document needed

handleidingen	
RoHS-informatie	2CSC446004K0201

Popular Downloads

Gegevensblad, technische informatie	2CSC000001D0202
Instructies en handleidingen	No document needed

Classifications

ETIM 7	EC001547 - Bell transformer
ETIM 8	EC001547 - Bell transformer
WEEE-categorie	5. Small Equipment (No External Dimension More Than 50 cm)
AEAA B2C / B2B	Business To Consumer
CN8	85043121
eClass	V11.0 : 27031190
Object classificatiecode	T

Categorieën

Laagspanningsproducten en -systemen → Modulaire DIN rail producten → Command and Signalling Devices → Bells and safety transformers

