


PRODUCT-DETAILS

SA/S4.16.2.2

SA/S4.16.2.2 Switch Actuator, 4-fold, 16 A, MDRC



Algemene informatie

Type	SA/S4.16.2.2
Artikelnummer	2CDG110262R0011
EAN	4016779066655
Omschrijving	SA/S4.16.2.2 Switch Actuator, 4-fold, 16 A, MDRC
Omschrijving	The switch actuator uses potential free contacts to switch 4 independent electrical loads via the ABB i-bus®. Manual operation and display of the switching state of the contacts. The 16 A device is especially suited for resistive loads.

Ordering

EAN	4016779066655
Nummer douanetarief	85371091
Minimale bestelhoeveelheid	1 stuk
E-Number (Switzerland)	405 665 045
E-Number (Finland)	2814697
E-Number (Sweden)	1739948

Dimensions

Product netto diepte	63.5 mm
Product netto hoogte	90 mm
Product netto breedte	70 mm
Product netto gewicht	0.215 kg

Container Information

Pakketniveau 1 Units	box 1 stuk
Pakketniveau 1 EAN	4016779066655
Pakketniveau 1 Lengte	126 mm
Pakketniveau 1 Hoogte	96 mm
Pakketniveau 1 Breedte	120 mm
Pakketniveau 1 Brutogewicht	0.292 kg

Technical

Compatibele bussystemen	KNX (TP)
Beschermingsgraad	IP20
Montagetype	DIN-Rail
Breedte in module- eenheden	4

Certificates and Declarations (Document Number)

CB-certificaat	9AKK107991A3224
Gegevensblad, technische informatie	2CDC505193D0211
Conformiteitsverklaring - CE	2CDK505255D2701
Instructies en handleidingen	2CDG941215P0001
RoHS-informatie	2CDK505255D2701

Environmental

RoHS-status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

Classifications

ETIM 7	EC001097 - Switch actuator for bus system
ETIM 8	EC001097 - Switch actuator for bus system
eClass	V11.0 : 27143125
WEEE-categorie	5. Small Equipment (No External Dimension More Than 50 cm)
UNSPSC	31251516
IGCC (IDEA granulaire categoriestructuur)	3268 >> Switch actuator

Categorieën

Laagspanningsproducten en -systemen → Gebouwautomatisering → KNX → Standaarduitgangen → Schakelaandrijvingen 16 A

