



An optimum combination of value and performance, MASTER Value LEDspot MV is a perfect fit for spot lighting

MASTER VALUE LEDspot MV

Delivering a warm, halogen-like accent beam, MASTER VALUE is a perfect fit for spot lighting. Thanks to its high CRI, it realizes more natural colors, creating cozy and comfortable ambiances for residential and hospitality projects, and emphasizing the beauty of merchandise in retail. These LED spots MV GU10 have the familiar look and feel of spot lamps, keeping the classic beauty of glass spots and adding the strong performance of LED technology. The dimming function enables you to create the atmosphere you desire, and it works with broad selection of dimmers. MASTER VALUE also offers more energy savings than normal LED spots.

Benefits

- With MASTER VALUE spotlight up to 80% energy saving compared with halogen lamps
- Best mimic of a halogen spot for atmosphere creation
- Perfect replacement for traditional GU10 lamps

MASTER VALUE LEDspot MV

Features

- Dimmable range
- Compatible with an extensive range of dimmers
- Patented intelligent driver
- Lifetime of 25,000 hours
- No UV and Cool Beam (no IR), making it suitable for illuminating heat-sensitive objects (food, organic materials, paintings etc.)

Application

- Hospitality
- Retail
- Residential

Warnings and Safety


- Operating temperature range is between -20° C and 45° C ambient
- Only to apply in dry or damp locations and most of open fixtures with lamp-holders that offer sufficient space (10 mm free air space)
- Not intended for use with emergency light fixtures or exit lights

Versions




PAR16 GU10

Dimensional drawing



Product	D	C
MAS LED spot VLE D 3.7-35W GU10 930 36D	50 mm	54 mm
MAS LED spot VLE D 3.7-35W GU10 940 36D	50 mm	54 mm
MAS LED spot VLE D 3.7-35W GU10 940 60D	50 mm	54 mm
MAS LED spot VLE D 4.9-50W GU10 927 60D	50 mm	54 mm
MAS LED spot VLE D 4.9-50W GU10 930 36D	50 mm	54 mm
MAS LED spot VLE D 4.9-50W GU10 930 60D	50 mm	54 mm
MAS LED spot VLE D 4.9-50W GU10 940 36D	50 mm	54 mm
MAS LED spot VLE D 4.9-50W GU10 940 60D	50 mm	54 mm
MAS LED spot VLE D 5-65W GU10 927 36D	50 mm	54 mm
MAS LED spot VLE D 5-65W GU10 940 36D	50 mm	54 mm
MAS LED spot VLE D 6.2-80W GU10 927 36D	50 mm	54 mm
MAS LED spot VLE D 6.2-80W GU10 930 36D	50 mm	54 mm
MAS LED spot VLE D 6.2-80W GU10 940 36D	50 mm	54 mm
MAS LED spot VLE D 6.2-80W GU10 965 36D	50 mm	54 mm
MAS LED spot VLE D 650lm GU10 930 120D	50 mm	54 mm
MAS LED spot VLE D 680lm GU10 940 120D	50 mm	54 mm
MAS LED spot VLE D 680lm GU10 965 120D	50 mm	54 mm
MAS LED spot VLE D 7-80W GU10 927 36D	50 mm	54 mm
MAS LED spot VLE D 7-80W GU10 940 36D	50 mm	54 mm
MAS LED spot VLE DT 4.9-50W GU10 927 36D	50 mm	54 mm
MAS LED spot VLE DT 6.2-80W GU10 927 36D	50 mm	56 mm
MAS LED spot VLEDT4.9-50W GU10 927 36DUK	50 mm	54 mm
MAS LEDspot VLE D 650lm GU10 930 120D UK	50 mm	54 mm
MAS LEDspot VLE D 4.9-50W GU10 930 36D UK	50 mm	54 mm
MAS LEDspot VLE D 4.9-50W GU10 940 36D UK	50 mm	54 mm
MAS LEDspot VLE D 6.2-80W GU10 927 36D UK	50 mm	54 mm
MAS LEDspot VLE D 6.2-80W GU10 930 36D UK	50 mm	54 mm
MAS LEDspot VLE D 6.2-80W GU10 940 36D UK	50 mm	54 mm
MAS LEDspot VLE D 6.2-80W GU10 965 36D UK	50 mm	54 mm
Master LED 4.9-50W GU10 927 36D Dim	50 mm	54 mm
Master LED 4.9-50W GU10 930 36D Dim	50 mm	54 mm
Master LED 4.9-50W GU10 940 36D Dim	50 mm	54 mm



Product	D	C
MAS LED spot VLE D 3.7-35W GU10 927 36D	50 mm	54 mm
MAS LED spot VLE D 3.7-35W GU10 927 60D	50 mm	54 mm
MAS LED spot VLE D 3.7-35W GU10 930 60D	50 mm	54 mm
MAS LED spot VLE D 4.8-50W GU10 927 36D	50 mm	54 mm
MAS LED spot VLE DT 3.7-35W GU10 927 36D	50 mm	54 mm
MAS LEDspot VLE D 4.7-50W GU10 82736D5CT	50 mm	54 mm
MAS LEDspot VLE D 4.7-50W GU10 83036D5CT	50 mm	54 mm
MAS LEDspot VLE D 5-50W GU10 830 36D 1PF	50 mm	54 mm
MAS LEDspot VLE D 5-50W GU10 840 36D	50 mm	54 mm
MAS LEDspot VLE D 5-50W GU10 840 36D 1PF	50 mm	54 mm

MASTER VALUE LEDspot MV

General Information	
Cap-Base	GU10
Switching Cycle	50,000
Nominal lifetime	25,000 hour(s)
Light Technical	
LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and Electrical	
Input Frequency	50 to 60 Hz
Line Frequency	50 to 60 Hz
Starting Time (Nom)	0.5 s
Mechanical and Housing	
Bulb Shape	PAR16

Light Technical (1/2)

Order Code	Full Product Name	Beam Angle (Nom)	Correlated Color	Color	Color Code
			Temperature (Nom)	rendering index (CRI)	
929002059502	MAS LED spot VLE D 6.2-80W GU10 927 36D	36 degree(s)	2700 K	90	927
929002059522	MAS LED spot VLE D 7-80W GU10 927 36D	36 degree(s)	2700 K	90	927
929002059599	MASLEDspot VLE D 6.2-80W GU10 927 36D UK	36 degree(s)	2700 K	90	927
929002065902	MAS LED spot VLE DT 6.2-80W GU10 927 36D	36 degree(s)	2700 K	90	922-927
929002066002	MAS LED spot VLE D 6.2-80W GU10 940 36D	36 degree(s)	4000 K	90	940
929002066022	MAS LED spot VLE D 7-80W GU10 940 36D	36 degree(s)	4000 K	90	940
929002066099	MASLEDspot VLE D 6.2-80W GU10 940 36D UK	36 degree(s)	4000 K	90	940
929002068402	MAS LED spot VLE D 6.2-80W GU10 930 36D	36 degree(s)	3000 K	90	930
929002068499	MASLEDspot VLE D 6.2-80W GU10 930 36D UK	36 degree(s)	3000 K	90	930
929002209902	MAS LED spot VLE D 6.2-80W GU10 965 36D	36 degree(s)	6500 K	90	6500
929002209999	MASLEDspot VLE D 6.2-80W GU10 965 36D UK	36 degree(s)	6500 K	90	965
929002210002	MAS LED spot VLE D 650lm GU10 930 120D	120 degree(s)	3000 K	90	930
929002210099	MAS LEDspot VLE D 650lm GU10 930 120D UK	120 degree(s)	3000 K	90	930
929002210102	MAS LED spot VLE D 680lm GU10 940 120D	120 degree(s)	4000 K	90	940
929002210202	MAS LED spot VLE D 680lm GU10 965 120D	120 degree(s)	6500 K	90	6500
929001348302	MAS LED spot VLE D 3.7-35W GU10 930 36D	36 degree(s)	3000 K	90	930
929001348402	MAS LED spot VLE D 3.7-35W GU10 940 36D	36 degree(s)	4000 K	90	940
929001348702	MAS LED spot VLE D 3.7-35W GU10 940 60D	60 degree(s)	4000 K	90	940
929001348808	Master LED 4.9-50W GU10 927 36D Dim	36 degree(s)	2700 K	90	927
929001348822	MAS LED spot VLE D 5-65W GU10 927 36D	36 degree(s)	2700 K	90	927
929001348902	MAS LED spot VLE D 4.9-50W GU10 930 36D	36 degree(s)	3000 K	90	930
929001348908	Master LED 4.9-50W GU10 930 36D Dim	36 degree(s)	3000 K	90	930
929001348998	MAS LEDspotVLE D 4.9-50W GU10 930 36D UK	36 degree(s)	3000 K	90	930
929001349002	MAS LED spot VLE D 4.9-50W GU10 940 36D	36 degree(s)	4000 K	90	940

MASTER VALUE LEDspot MV

Order Code	Full Product Name	Beam Angle (Nom)	Correlated Color	Color	Color Code
			Temperature (Nom)	rendering index (CRI)	
929001349008	Master LED 4.9-50W GU10 940 36D Dim	36 degree(s)	4000 K	90	940
929001349022	MAS LED spot VLE D 5-65W GU10 940 36D	36 degree(s)	4000 K	90	940
929001349099	MAS LEDspotVLE D 4.9-50W GU10 940 36D UK	36 degree(s)	4000 K	90	940
929001349102	MAS LED spot VLE D 4.9-50W GU10 927 60D	60 degree(s)	2700 K	90	927
929001349202	MAS LED spot VLE D 4.9-50W GU10 930 60D	60 degree(s)	3000 K	90	930
929001349302	MAS LED spot VLE D 4.9-50W GU10 940 60D	60 degree(s)	4000 K	90	940
929001350302	MAS LED spot VLE DT 4.9-50W GU10 927 36D	36 degree(s)	2700 K	90	922-927
929001350399	MAS LED spot VLEDT4.9-50W GU10 927 36DUK	36 degree(s)	2200 K	90	922-927
929002348402	MAS LEDspot VLE D 5-50W GU10 830 36D 1PF	36 degree(s)	3000 K	80	830
929002351102	MAS LEDspot VLE D 5-50W GU10 840 36D 1PF	36 degree(s)	4000 K	80	840
929002351168	MAS LEDspot VLE D 5-50W GU10 840 36D	36 degree(s)	4000 K	80	840
929002979402	MAS LED spot VLE D 3.7-35W GU10 927 36D	36 degree(s)	2700 K	90	927
929002979702	MAS LED spot VLE DT 3.7-35W GU10 927 36D	36 degree(s)	2200 K	90	922-927
929002979802	MAS LED spot VLE D 3.7-35W GU10 927 60D	60 degree(s)	2700 K	90	927
929002979902	MAS LED spot VLE D 3.7-35W GU10 930 60D	60 degree(s)	3000 K	90	930
929002980102	MAS LED spot VLE D 4.8-50W GU10 927 36D	36 degree(s)	2700 K	90	927
929002995452	MAS LEDspot VLE D 4.7-50W GU10 82736D5CT	36 degree(s)	2700 K	80	827
929002995552	MAS LEDspot VLE D 4.7-50W GU10 83036D5CT	36 degree(s)	3000 K	80	830

Light Technical (2/2)

Order Code	Full Product Name	Luminous Intensity	
		Luminous Flux	(Nom)
929002059502	MAS LED spot VLE D 6.2-80W GU10 927 36D	575 lumen	850 cd
929002059522	MAS LED spot VLE D 7-80W GU10 927 36D	650 lumen	850 cd
929002059599	MASLEDspot VLE D 6.2-80W GU10 927 36D UK	575 lumen	850 cd
929002065902	MAS LED spot VLE DT 6.2-80W GU10 927 36D	575 lumen	950 cd

Order Code	Full Product Name	Luminous Intensity	
		Luminous Flux	(Nom)
929002066002	MAS LED spot VLE D 6.2-80W GU10 940 36D	575 lumen	850 cd
929002066022	MAS LED spot VLE D 7-80W GU10 940 36D	680 lumen	850 cd
929002066099	MASLEDspot VLE D 6.2-80W GU10 940 36D UK	575 lumen	850 cd
929002068402	MAS LED spot VLE D 6.2-80W GU10 930 36D	575 lumen	850 cd

MASTER VALUE LEDspot MV

Order Code	Full Product Name	Luminous Flux	Luminous Intensity (Nom)
929002068499	MASLEDspot VLE D 6.2-80W GU10 930 36D UK	575 lumen	850 cd
929002209902	MAS LED spot VLE D 6.2-80W GU10 965 36D	575 lumen	850 cd
929002209999	MASLEDspot VLE D 6.2-80W GU10 965 36D UK	575 lumen	850 cd
929002210002	MAS LED spot VLE D 650lm GU10 930 120D	650 lumen	200 cd
929002210099	MAS LEDspot VLE D 650lm GU10 930 120D UK	650 lumen	200 cd
929002210102	MAS LED spot VLE D 680lm GU10 940 120D	680 lumen	200 cd
929002210202	MAS LED spot VLE D 680lm GU10 965 120D	680 lumen	200 cd
929001348302	MAS LED spot VLE D 3.7-35W GU10 930 36D	270 lumen	500 cd
929001348402	MAS LED spot VLE D 3.7-35W GU10 940 36D	285 lumen	500 cd
929001348702	MAS LED spot VLE D 3.7-35W GU10 940 60D	285 lumen	350 cd
929001348808	Master LED 4.9-50W GU10 927 36D Dim	395 lumen	650 cd
929001348822	MAS LED spot VLE D 5-65W GU10 927 36D	395 lumen	650 cd
929001348902	MAS LED spot VLE D 4.9-50W GU10 930 36D	365 lumen	650 cd
929001348908	Master LED 4.9-50W GU10 930 36D Dim	405 lumen	650 cd
929001348998	MAS LEDspotVLE D 4.9-50W GU10 930 36D UK	365 lumen	650 cd
929001349002	MAS LED spot VLE D 4.9-50W GU10 940 36D	380 lumen	700 cd
929001349008	Master LED 4.9-50W GU10 940 36D Dim	420 lumen	700 cd

Order Code	Full Product Name	Luminous Flux	Luminous Intensity (Nom)
929001349022	MAS LED spot VLE D 5-65W GU10 940 36D	420 lumen	700 cd
929001349099	MAS LEDspotVLE D 4.9-50W GU10 940 36D UK	380 lumen	700 cd
929001349102	MAS LED spot VLE D 4.9-50W GU10 927 60D	355 lumen	400 cd
929001349202	MAS LED spot VLE D 4.9-50W GU10 930 60D	365 lumen	400 cd
929001349302	MAS LED spot VLE D 4.9-50W GU10 940 60D	380 lumen	400 cd
929001350302	MAS LED spot VLE DT 4.9-50W GU10 927 36D	355 lumen	650 cd
929001350399	MAS LED spot VLEDT4.9-50W GU10 927 36DUK	355 lumen	650 cd
929002348402	MAS LEDspot VLE D 5-50W GU10 830 36D 1PF	400 lumen	650 cd
929002351102	MAS LEDspot VLE D 5-50W GU10 840 36D 1PF	450 lumen	750 cd
929002351168	MAS LEDspot VLE D 5-50W GU10 840 36D	-	750 cd
929002979402	MAS LED spot VLE D 3.7-35W GU10 927 36D	270 lumen	500 cd
929002979702	MAS LED spot VLE DT 3.7-35W GU10 927 36D	270 lumen	500 cd
929002979802	MAS LED spot VLE D 3.7-35W GU10 927 60D	270 lumen	300 cd
929002979902	MAS LED spot VLE D 3.7-35W GU10 930 60D	270 lumen	300 cd
929002980102	MAS LED spot VLE D 4.8-50W GU10 927 36D	355 lumen	650 cd
929002995452	MAS LEDspot VLE D 4.7-50W GU10 82736D5CT	345 lumen	650 cd
929002995552	MAS LEDspot VLE D 4.7-50W GU10 83036D5CT	345 lumen	650 cd

Operating and Electrical

Order Code	Full Product Name	Power Consumption	Wattage Equivalent
929002059502	MAS LED spot VLE D 6.2-80W GU10 927 36D	6.2 W	80 W
929002059522	MAS LED spot VLE D 7-80W GU10 927 36D	7 W	80 W
929002059599	MASLEDspot VLE D 6.2-80W GU10 927 36D UK	6.2 W	80 W
929002065902	MAS LED spot VLE DT 6.2-80W GU10 927 36D	6.2 W	80 W
929002066002	MAS LED spot VLE D 6.2-80W GU10 940 36D	6.2 W	80 W

Order Code	Full Product Name	Power Consumption	Wattage Equivalent
929002066022	MAS LED spot VLE D 7-80W GU10 940 36D	7 W	80 W
929002066099	MASLEDspot VLE D 6.2-80W GU10 940 36D UK	6.2 W	80 W
929002068402	MAS LED spot VLE D 6.2-80W GU10 930 36D	6.2 W	80 W
929002068499	MASLEDspot VLE D 6.2-80W GU10 930 36D UK	6.2 W	80 W
929002209902	MAS LED spot VLE D 6.2-80W GU10 965 36D	6.2 W	80 W

MASTER VALUE LEDspot MV

Order Code	Full Product Name	Power Consumption	Wattage Equivalent
929002209999	MASLEDspot VLE D 6.2-80W GU10 965 36D UK	6.2 W	80 W
929002210002	MAS LED spot VLE D 650lm GU10 930 120D	6.2 W	-
929002210099	MAS LEDspot VLE D 650lm GU10 930 120D UK	6.2 W	-
929002210102	MAS LED spot VLE D 680lm GU10 940 120D	6.2 W	-
929002210202	MAS LED spot VLE D 680lm GU10 965 120D	6.2 W	-
929001348302	MAS LED spot VLE D 3.7-35W GU10 930 36D	3.7 W	35 W
929001348402	MAS LED spot VLE D 3.7-35W GU10 940 36D	3.7 W	35 W
929001348702	MAS LED spot VLE D 3.7-35W GU10 940 60D	3.7 W	35 W
929001348808	Master LED 4.9-50W GU10 927 36D Dim	5 W	50 W
929001348822	MAS LED spot VLE D 5-65W GU10 927 36D	5 W	65 W
929001348902	MAS LED spot VLE D 4.9-50W GU10 930 36D	4.9 W	50 W
929001348908	Master LED 4.9-50W GU10 930 36D Dim	5 W	50 W
929001348998	MAS LEDspotVLE D 4.9-50W GU10 930 36D UK	4.9 W	50 W
929001349002	MAS LED spot VLE D 4.9-50W GU10 940 36D	4.9 W	50 W
929001349008	Master LED 4.9-50W GU10 940 36D Dim	5 W	50 W
929001349022	MAS LED spot VLE D 5-65W GU10 940 36D	5 W	65 W

Order Code	Full Product Name	Power Consumption	Wattage Equivalent
929001349099	MAS LEDspotVLE D 4.9-50W GU10 940 36D UK	4.9 W	50 W
929001349102	MAS LED spot VLE D 4.9-50W GU10 927 60D	4.9 W	50 W
929001349202	MAS LED spot VLE D 4.9-50W GU10 930 60D	4.9 W	50 W
929001349302	MAS LED spot VLE D 4.9-50W GU10 940 60D	4.9 W	50 W
929001350302	MAS LED spot VLE DT 4.9-50W GU10 927 36D	4.9 W	50 W
929001350399	MAS LED spot VLEDT4.9-50W GU10 927 36DUK	4.9 W	50 W
929002348402	MAS LEDspot VLE D 5-50W GU10 830 36D 1PF	5 W	50 W
929002351102	MAS LEDspot VLE D 5-50W GU10 840 36D 1PF	5 W	50 W
929002351168	MAS LEDspot VLE D 5-50W GU10 840 36D	5 W	50 W
929002979402	MAS LED spot VLE D 3.7-35W GU10 927 36D	3.7 W	35 W
929002979702	MAS LED spot VLE DT 3.7-35W GU10 927 36D	3.7 W	35 W
929002979802	MAS LED spot VLE D 3.7-35W GU10 927 60D	3.7 W	35 W
929002979902	MAS LED spot VLE D 3.7-35W GU10 930 60D	3.7 W	35 W
929002980102	MAS LED spot VLE D 4.8-50W GU10 927 36D	4.8 W	50 W
929002995452	MAS LEDspot VLE D 4.7-50W GU10 82736D5CT	4.7 W	50 W
929002995552	MAS LEDspot VLE D 4.7-50W GU10 83036D5CT	4.7 W	50 W

Temperature

Order Code	Full Product Name	T-Case Maximum (Nom)
929002059502	MAS LED spot VLE D 6.2-80W GU10 927 36D	80 °C
929002059522	MAS LED spot VLE D 7-80W GU10 927 36D	80 °C
929002059599	MASLEDspot VLE D 6.2-80W GU10 927 36D UK	80 °C
929002065902	MAS LED spot VLE DT 6.2-80W GU10 927 36D	75 °C
929002066002	MAS LED spot VLE D 6.2-80W GU10 940 36D	80 °C
929002066022	MAS LED spot VLE D 7-80W GU10 940 36D	80 °C
929002066099	MASLEDspot VLE D 6.2-80W GU10 940 36D UK	80 °C
929002068402	MAS LED spot VLE D 6.2-80W GU10 930 36D	80 °C
929002068499	MASLEDspot VLE D 6.2-80W GU10 930 36D UK	80 °C
929002209902	MAS LED spot VLE D 6.2-80W GU10 965 36D	80 °C
929002209999	MASLEDspot VLE D 6.2-80W GU10 965 36D UK	80 °C
929002210002	MAS LED spot VLE D 650lm GU10 930 120D	80 °C
929002210099	MAS LEDspot VLE D 650lm GU10 930 120D UK	80 °C
929002210102	MAS LED spot VLE D 680lm GU10 940 120D	80 °C

Order Code	Full Product Name	T-Case Maximum (Nom)
929002210202	MAS LED spot VLE D 680lm GU10 965 120D	80 °C
929001348302	MAS LED spot VLE D 3.7-35W GU10 930 36D	80 °C
929001348402	MAS LED spot VLE D 3.7-35W GU10 940 36D	80 °C
929001348702	MAS LED spot VLE D 3.7-35W GU10 940 60D	80 °C
929001348808	Master LED 4.9-50W GU10 927 36D Dim	80 °C
929001348822	MAS LED spot VLE D 5-65W GU10 927 36D	65 °C
929001348902	MAS LED spot VLE D 4.9-50W GU10 930 36D	80 °C
929001348908	Master LED 4.9-50W GU10 930 36D Dim	80 °C
929001348998	MAS LEDspotVLE D 4.9-50W GU10 930 36D UK	65 °C
929001349002	MAS LED spot VLE D 4.9-50W GU10 940 36D	80 °C
929001349008	Master LED 4.9-50W GU10 940 36D Dim	80 °C
929001349022	MAS LED spot VLE D 5-65W GU10 940 36D	65 °C
929001349099	MAS LEDspotVLE D 4.9-50W GU10 940 36D UK	65 °C
929001349102	MAS LED spot VLE D 4.9-50W GU10 927 60D	80 °C

MASTER VALUE LEDspot MV

Order Code	Full Product Name	T-Case Maximum (Nom)
929001349202	MAS LED spot VLE D 4.9-50W GU10 930 60D	80 °C
929001349302	MAS LED spot VLE D 4.9-50W GU10 940 60D	80 °C
929001350302	MAS LED spot VLE DT 4.9-50W GU10 927 36D	80 °C
929001350399	MAS LED spot VLEDT4.9-50W GU10 927 36DUK	65 °C
929002348402	MAS LEDspot VLE D 5-50W GU10 830 36D 1PF	85 °C
929002351102	MAS LEDspot VLE D 5-50W GU10 840 36D 1PF	85 °C
929002351168	MAS LEDspot VLE D 5-50W GU10 840 36D	85 °C

Controls and Dimming

Order Code	Full Product Name	Dimmable
929002059502	MAS LED spot VLE D 6.2-80W GU10 927 36D	Only with specific dimmers
929002059522	MAS LED spot VLE D 7-80W GU10 927 36D	Yes
929002059599	MASLEDspot VLE D 6.2-80W GU10 927 36D UK	Yes
929002065902	MAS LED spot VLE DT 6.2-80W GU10 927 36D	Only with specific dimmers
929002066002	MAS LED spot VLE D 6.2-80W GU10 940 36D	Only with specific dimmers
929002066022	MAS LED spot VLE D 7-80W GU10 940 36D	Yes
929002066099	MASLEDspot VLE D 6.2-80W GU10 940 36D UK	Yes
929002068402	MAS LED spot VLE D 6.2-80W GU10 930 36D	Only with specific dimmers
929002068499	MASLEDspot VLE D 6.2-80W GU10 930 36D UK	Yes
929002209902	MAS LED spot VLE D 6.2-80W GU10 965 36D	Only with specific dimmers
929002209999	MASLEDspot VLE D 6.2-80W GU10 965 36D UK	Yes
929002210002	MAS LED spot VLE D 650lm GU10 930 120D	Only with specific dimmers
929002210099	MAS LEDspot VLE D 650lm GU10 930 120D UK	Yes
929002210102	MAS LED spot VLE D 680lm GU10 940 120D	Only with specific dimmers
929002210202	MAS LED spot VLE D 680lm GU10 965 120D	Only with specific dimmers
929001348302	MAS LED spot VLE D 3.7-35W GU10 930 36D	Only with specific dimmers
929001348402	MAS LED spot VLE D 3.7-35W GU10 940 36D	Only with specific dimmers
929001348702	MAS LED spot VLE D 3.7-35W GU10 940 60D	Only with specific dimmers
929001348808	Master LED 4.9-50W GU10 927 36D Dim	Yes
929001348822	MAS LED spot VLE D 5-65W GU10 927 36D	Yes
929001348902	MAS LED spot VLE D 4.9-50W GU10 930 36D	Only with specific dimmers
929001348908	Master LED 4.9-50W GU10 930 36D Dim	Yes
929001348998	MAS LEDspotVLE D 4.9-50W GU10 930 36D UK	Yes


Approval and Application


Order Code	Full Product Name	T-Case Maximum (Nom)
929002979402	MAS LED spot VLE D 3.7-35W GU10 927 36D	70 °C
929002979702	MAS LED spot VLE DT 3.7-35W GU10 927 36D	70 °C
929002979802	MAS LED spot VLE D 3.7-35W GU10 927 60D	70 °C
929002979902	MAS LED spot VLE D 3.7-35W GU10 930 60D	70 °C
929002980102	MAS LED spot VLE D 4.8-50W GU10 927 36D	80 °C
929002995452	MAS LEDspot VLE D 4.7-50W GU10 82736D5CT	80 °C
929002995552	MAS LEDspot VLE D 4.7-50W GU10 83036D5CT	80 °C

Order Code	Full Product Name	Dimmable
929001349002	MAS LED spot VLE D 4.9-50W GU10 940 36D	Only with specific dimmers
929001349008	Master LED 4.9-50W GU10 940 36D Dim	Yes
929001349022	MAS LED spot VLE D 5-65W GU10 940 36D	Yes
929001349099	MAS LEDspotVLE D 4.9-50W GU10 940 36D UK	Yes
929001349102	MAS LED spot VLE D 4.9-50W GU10 927 60D	Only with specific dimmers
929001349202	MAS LED spot VLE D 4.9-50W GU10 930 60D	Only with specific dimmers
929001349302	MAS LED spot VLE D 4.9-50W GU10 940 60D	Only with specific dimmers
929001350302	MAS LED spot VLE DT 4.9-50W GU10 927 36D	Only with specific dimmers
929001350399	MAS LED spot VLEDT4.9-50W GU10 927 36DUK	Yes
929002348402	MAS LEDspot VLE D 5-50W GU10 830 36D 1PF	Only with specific dimmers
929002351102	MAS LEDspot VLE D 5-50W GU10 840 36D 1PF	Only with specific dimmers
929002351168	MAS LEDspot VLE D 5-50W GU10 840 36D	Only with specific dimmers
929002979402	MAS LED spot VLE D 3.7-35W GU10 927 36D	Only with specific dimmers
929002979702	MAS LED spot VLE DT 3.7-35W GU10 927 36D	Only with specific dimmers
929002979802	MAS LED spot VLE D 3.7-35W GU10 927 60D	Only with specific dimmers
929002979902	MAS LED spot VLE D 3.7-35W GU10 930 60D	Only with specific dimmers
929002980102	MAS LED spot VLE D 4.8-50W GU10 927 36D	Only with specific dimmers
929002995452	MAS LEDspot VLE D 4.7-50W GU10 82736D5CT	Only with specific dimmers
929002995552	MAS LEDspot VLE D 4.7-50W GU10 83036D5CT	Only with specific dimmers



MASTER VALUE LEDspot MV

Order Code	Full Product Name	Energy Consumption kWh/1000 h
929002059502	MAS LED spot VLE D 6.2-80W GU10 927 36D	7 kWh
929002059522	MAS LED spot VLE D 7-80W GU10 927 36D	7 kWh
929002059599	MASLEDspot VLE D 6.2-80W GU10 927 36D UK	7 kWh
929002065902	MAS LED spot VLE DT 6.2-80W GU10 927 36D	7 kWh
929002066002	MAS LED spot VLE D 6.2-80W GU10 940 36D	7 kWh
929002066022	MAS LED spot VLE D 7-80W GU10 940 36D	7 kWh
929002066099	MASLEDspot VLE D 6.2-80W GU10 940 36D UK	7 kWh
929002068402	MAS LED spot VLE D 6.2-80W GU10 930 36D	7 kWh
929002068499	MASLEDspot VLE D 6.2-80W GU10 930 36D UK	7 kWh
929002209902	MAS LED spot VLE D 6.2-80W GU10 965 36D	7 kWh
929002209999	MASLEDspot VLE D 6.2-80W GU10 965 36D UK	7 kWh
929002210002	MAS LED spot VLE D 650lm GU10 930 120D	7 kWh
929002210099	MAS LEDspot VLE D 650lm GU10 930 120D UK	7 kWh
929002210102	MAS LED spot VLE D 680lm GU10 940 120D	7 kWh
929002210202	MAS LED spot VLE D 680lm GU10 965 120D	7 kWh
929001348302	MAS LED spot VLE D 3.7-35W GU10 930 36D	4 kWh
929001348402	MAS LED spot VLE D 3.7-35W GU10 940 36D	4 kWh
929001348702	MAS LED spot VLE D 3.7-35W GU10 940 60D	4 kWh
929001348808	Master LED 4.9-50W GU10 927 36D Dim	5 kWh
929001348822	MAS LED spot VLE D 5-65W GU10 927 36D	5 kWh
929001348902	MAS LED spot VLE D 4.9-50W GU10 930 36D	5 kWh
929001348908	Master LED 4.9-50W GU10 930 36D Dim	5 kWh
929001348998	MAS LEDspotVLE D 4.9-50W GU10 930 36D UK	5 kWh
929001349002	MAS LED spot VLE D 4.9-50W GU10 940 36D	5 kWh
929001349008	Master LED 4.9-50W GU10 940 36D Dim	5 kWh
929001349022	MAS LED spot VLE D 5-65W GU10 940 36D	5 kWh
929001349099	MAS LEDspotVLE D 4.9-50W GU10 940 36D UK	5 kWh
929001349102	MAS LED spot VLE D 4.9-50W GU10 927 60D	5 kWh
929001349202	MAS LED spot VLE D 4.9-50W GU10 930 60D	5 kWh
929001349302	MAS LED spot VLE D 4.9-50W GU10 940 60D	5 kWh
929001350302	MAS LED spot VLE DT 4.9-50W GU10 927 36D	5 kWh
929001350399	MAS LED spot VLEDT4.9-50W GU10 927 36DUK	5 kWh
929002348402	MAS LEDspot VLE D 5-50W GU10 830 36D 1PF	-
929002351102	MAS LEDspot VLE D 5-50W GU10 840 36D 1PF	-
929002351168	MAS LEDspot VLE D 5-50W GU10 840 36D	-
929002979402	MAS LED spot VLE D 3.7-35W GU10 927 36D	4 kWh
929002979702	MAS LED spot VLE DT 3.7-35W GU10 927 36D	4 kWh
929002979802	MAS LED spot VLE D 3.7-35W GU10 927 60D	4 kWh
929002979902	MAS LED spot VLE D 3.7-35W GU10 930 60D	4 kWh
929002980102	MAS LED spot VLE D 4.8-50W GU10 927 36D	5 kWh
929002995452	MAS LEDspot VLE D 4.7-50W GU10 82736D5CT	5 kWh
929002995552	MAS LEDspot VLE D 4.7-50W GU10 83036D5CT	5 kWh







MASTER VALUE LEDspot MV




Accent Diagrams




Accent Diagram - MAS LED spot VLE DT
4.9-50W GU10 927 36D




Accent Diagram - MAS LED spot VLE D 3.7-35W
GU10 930 36D




Accent Diagram - MAS LED spot VLE D 3.7-35W
GU10 940 60D




Accent Diagram - Master LED 4.9-50W GU10
930 36D Dim




Accent Diagram - MAS LED spot VLE D
4.9-50W GU10 927 60D




Accent Diagram - MAS LED spot VLE DT
3.7-35W GU10 927 36D



Accent Diagram - MAS LED spot VLE D 6.2-80W
GU10 965 36D




Accent Diagram - MAS LEDspot VLE D 5-50W
GU10 830 36D 1PF




Accent Diagram - MAS LED spot VLE D 3.7-35W
GU10 927 60D


Accent Diagrams




Accent Diagram - MAS LEDspot VLE D 5-50W
GU10 840 36D 1PF




Accent Diagram - MAS LED spot VLE D 3.7-35W
GU10 930 60D




Accent Diagram - MAS LEDspot VLE D 4.7-50W
GU10 83036D5CT




Accent Diagram - MAS LED spot VLE DT
6.2-80W GU10 927 36D



Accent Diagram - MAS LED spot VLE D 3.7-35W
GU10 927 36D




Accent Diagram - MAS LED spot VLE D 4.8-50W
GU10 927 36D




Accent Diagram - MAS LED spot VLE D 6.2-80W
GU10 927 36D


Beam Diagrams




Beam diagram - MAS LED spot VLE D 3.7-35W
GU10 927 36D




Beam diagram - MAS LED spot VLE DT 4.9-50W
GU10 927 36D




Beam diagram - MAS LED spot VLE D 3.7-35W
GU10 930 36D




Beam diagram - MAS LED spot VLE D 3.7-35W
GU10 940 60D




Beam diagram - Master LED 4.9-50W GU10 930
36D Dim




Beam diagram - MAS LED spot VLE D 4.9-50W
GU10 927 60D



Beam diagram - MAS LED spot VLE DT 6.2-80W
GU10 927 36D




Beam diagram - MAS LED spot VLE D 6.2-80W
GU10 927 36D




Beam diagram - MAS LEDspot VLE D 4.7-50W
GU10 83036D5CT

MASTER VALUE LEDspot MV


Beam Diagrams




Beam diagram - MAS LED spot VLE D 4.8-50W
GU10 927 36D




Beam diagram - MAS LEDspot VLE D 5-50W
GU10 830 36D 1PF




Beam diagram - MAS LED spot VLE DT 3.7-35W
GU10 927 36D




Beam diagram - MAS LED spot VLE D 3.7-35W
GU10 930 60D



Beam diagram - MAS LED spot VLE D 3.7-35W
GU10 927 60D



Beam diagram - MAS LED spot VLE D 6.2-80W
GU10 965 36D



Beam diagram - MAS LEDspot VLE D 5-50W
GU10 840 36D 1PF

MASTER VALUE LEDspot MV

